



REBLAST

PROTECTION AND
BREATHABILITY



> **Technical Sheet**



Unisex



REBLAST 02

Black
36 - 46



REBLAST 04

Rose
36 - 42



REBLAST 05

Grey
36 - 46



REBLAST 06

Gold
36 - 42



REBLAST 01

Black | Black
36 - 46



REBLAST 03

Navy Blue
36 - 46



REBLAST 07

Green | Green
36 - 46



REBLAST 08

Bronze
36 - 42



REBLAST 09

Silver
36 - 42

REBLAST VELCRO



REBLAST VELCRO 01

Black | Black
36 - 46



REBLAST VELCRO 02

Silver
36 - 42

NEW IN



• **Reblast Insole**



REBLAST

PROTECTION AND
BREATHABILITY



REBLAST sneaker offers extreme lightness and high technicality in a fresh and functional look.

Description

REBLAST is a sneaker created using an EVA sole and a rubber track. Combines fused printing with mesh in the upper, which has the following components:

- Removable insole;
- Laces.

Users

REBLAST is ideal for activities in which professionals spend many hours standing and tend to have fatigue and discomfort in their feet and legs, namely:



Catering
industry



Beauty & Cosmetic
Institutes



Geriatrics and
Physiotherapists



Everyone with
an active life

Specifications



Super Light

Feelite™ technology produces remarkably light, resistant and comfortable footwear.



Shock Absorption

The special design helps to reduce the occurrence of micro-lesions in tendons, bones and joints, and the feeling of tired legs.



Closed Heel

Additional support for the moments that require extra agility.



Removable Insole

It's detachable to allow a deeper cleaning.



Breathable

Regulates the temperature and humidity of the foot.



Easy Fastening*

The velcro fastening gives greater versatility and practicality when adjusting, as well as superior comfort and perfect adaptation to any shape of foot.



Washable

The footwear can be machine washed up to 30°C.



Unisex

Style designed to be worn by men and women.

Materials and Technologies



REBLAST is made with **Feelite™** technology. This technology is super lightweight and provides extreme comfort.



PROBREATHE™ technology brings protection and breathability combined with antislip for a fluid and full performance.

Technical Standard



CE
Regulation (EU) 2016/425.



Technical Specifications

- Machine washing up to a maximum of 30 °C;
- Slip-resistant;
- Resistant to abrasion.

Care and Cleaning

Wash: Machine washable up to a maximum temperature of 30°C. The removable insole cannot be machine washed. It should be wiped with a damp cloth.

Dry: Wipe with a cloth or dry at room temperature, without direct exposure to light.

Attention

REBLAST resists several washings at 30°C in washing machine. It is not recommended the use of bleaching agents during washing machine cycles at 30°C.

To keep your shoes new and beautiful for much longer, it is essential to follow some recommendations: Avoid getting your shoes wet, but in case this occurs, never place them in the sun.

Let them dry in the shade and also away from any other source of heat, because heat damages the materials, the colour and the texture.

A soft cloth is the main ally of this type of shoe and its cleaning should be done weekly or whenever necessary.

* Only applies to REBLAST Velcro version.

EU DECLARATION OF CONFORMITY

MANUFACTURER: WALKEMORE, S.A
 Rua das Casas Queimadas, n.º 567
 4415-439 V.N. Gaia
 Portugal

This EU declaration of conformity is issued under the sole responsibility of the manufacturer, who declares that the equipment included by this declaration complies with Regulation (EU) 2016/425 for Personal Protective Equipment - Category I.

PRODUCT NAME: REBLAST AND REBLAST VELCRO



PRODUCT DESCRIPTION: WOCK® professional trainers with soles made from super-light polymeric material, textile uppers and removable insoles.

NOTIFIED BODY: Not applicable

CONFORMITY ASSESSMENT: According to the procedure described in Regulation (EU) No 2016/425 - Module A

TECHNICAL CHARACTERISTICS: Specific ergonomic features: EN ISO 20347:2012 - 5.3.3. / ISO 20344:2011. 5.1
 Thickness - Upper: EN ISO 20347:2012 - 5.4.2. / ISO 20344:2011- 6.1.
 Tensile properties - Upper: EN ISO 20347:2012 - 5.4.4. / ISO 20344:2011 - 6.4.
 Flexing resistance - Upper: EN ISO 20347:2012 - 5.4.5. / ISO 20344:2011 - 6.5.
 Tear strength - Outsole: EN ISO 20347:2012 - 5.8.2. / ISO 20344:2011 - 8.2.
 Abrasion resistance- Outsole: EN ISO 20347:2012 - 5.8.3. / ISO 20344:2011 - 8.3.
 Flexing resistance - Outsole: EN ISO 20347:2012 - 5.8.4. / ISO 20344:2011 - 8.4.
 Energy absorption of seat region: EN ISO 20347:2012 - 6.2.4. / ISO 20344:2011 - 5.14

ADDITIONAL INFORMATION: The WOCK® Reblast and Reblast Velcro insole (sold separately) cannot be washed or autoclave sterilized.

Grijó, 02 January 2024

WALKEMORE, S.A.

A Administração,



José Pinto
 CEO